



Compact Glass

SV-X150



COMPACT GLASS

DOWNLOADS
LIBRARY



SV-X150

Technical Details

SV-X150 is a compact sliding solution since it conceals all its mechanisms in the guide and reduces the space between the panel and the wall to a minimum. It is easy to install, practical, immediate and with a very attractive design. In addition, it is designed to support large-sized panes of glass (panes of up to 150kg in weight).

There is a choice between different braking systems: retaining brake and Saheco's new **SOFTPRO**® system, an exceptional solution for a smooth and quiet sliding action with an effective, powerful yet at the same time gentle soft closing and or opening action.





SV-X150

Technical characteristics

Profiles

TRACK 1



62x62 mm

TRACK 2



100x62 mm

TRACK 3



80x62 mm

TRACK 4



100x62 mm

Specifications



10-12 -14 mm



1 Softpro
MIN.785 mm



Softpro Double
MIN.1080 mm



SOFTPRO
MAX. 150kg



BALL BEARING

Weight

150 kg

331 lb

Certificated product







SV-X150

Cross-section

TRACK 1 Wall / Ceiling mount




$A = H + 15$



$A = H + 15$

TRACK 1 Glass wall mount



$A = H - 47$


$G = H + X$



SV-X150


Cross-section

TRACK 2 False ceiling mount



A=H+15


TRACK 3 Wall / Ceiling mount with fixed panel



$$A = H + 15$$

$$G = H + 5$$

TRACK 4 False ceiling mount with fixed panel



$$A = H + 15$$

G= H+5




SOFTPRO[®]

TECHNOLOGY by Saheco

The new soft-closing technology from Saheco which combines two nitrogen gas filled pistons and one oil filled piston all within the same unit.

- Fully adjustable closing speed
- Closing action is progressive and slows down as the door approaches the fully closed position
- Soft Closing
- Anti break feature on the trigger
- Ensures safe braking and prevents bouncing of the door.
- Combines an aesthetically pleasing action with safe soft closing for door







SV-X150

Installation possibilities


WALL




WALL WITH FIXED PANEL




CEILING




CEILING WITH FIXED PANEL




FALSE CEILING




FALSE CEILING WITH FIXED PANEL




GLASS WALL



CEILING WITH FIXED PANEL



FALSE CEILING WITH FIXED PANEL




 SLIDING DOOR

 FIXED GLASS

SV-X150


Components

TRACK OPTIONS




62x62mm

SV-X150 - TRACK 1
Wall / Ceiling mount




100x62mm

SV-X150 - TRACK 2
False Ceiling mount



80x62mm

SV-X150 - TRACK 3
Wall / Ceiling mount
with fixed panel



100x62mm

SV-X150 - TRACK 4
False Ceiling mount
with fixed panel

BRAKE OPTIONS



SV-X150 - SET 1
x2 Retaining stopper
(Standard Stoppers)




SV-X150 - SET 10
x1 Double Softpro




SV-X150

Components

ACCESSORIES



SV-X150 - END CAPS TRACK 1
Wall / Ceiling mount



SV-X150 - END CAPS TRACK 3
Wall / Ceiling mount with fixed panel



SV-X150 - SOFTPRO™



SV-X150 - Double SOFTPRO™



SV-X-GF
Glass Fixing



SV-X-FG
Floor Guide

Compact Glass

SV-X150



Polígono Industrial de Foradada / 08580
St. Quirze de Besora / Barcelona / Spain
T +34 93 852 96 15
export@saheco.com
saheco.com



Saheco's Exclusive Distributor
Melbourne Office
170 Derrimut Drive Derrimut Vic 3030

Tel. 1300 4 ELITE
sales@eliteglasssolutions.com.au
eliteglasssolutions.com.au

Adelaide Office
7 Manfull St. Melrose Park SA 5039